

2810010115 - CAB42FWD-V2 - Image

2810010120

CAB42SWD

Baie 42U, 19", cadre pivotant de 810 x 2165 x 830 mm, IP-22

Description

Notre nouvelle gamme de baies multifonctions a été conçue pour être utilisée par la Marine. Ces baies conviennent parfaitement à l'installation de composants d'un système afin de créer un système complet.


L'armoire de 42U mesure 80 cm de large et 80 cm de profondeur avec un cadre pivotant de 19 pouces pour jusqu'à 40U. Elle inclut une plaque arrière avec rail DIN et peut accueillir des modules de redondance optionnels. Elle est équipée d'un système de ventilation.

Important : le cadre pivotant possède une capacité maximale de 200 kg.

Cette armoire convient à :

- ✓ Exigo
- ✓ Modules avancés ACM
- ✓ Sonorisation SPA-V2
- ✓ Radio
- ✓ Horloges maîtres
- ✓ DECT
- ✓ Recherche de personne

Technical Dimensions



Specifications

GÉNÉRAL

Dimensions (LxHxP)	810 x 2165 x 830 mm
Couleur	RAL 7035
Matériau	Acier
Indice de Protection IP	IP-22
Montage	Au sol
Entrée de câble	Partie inférieure (disponible sur la partie supérieure sur demande)

Accessories



CAB-1GD-42W

Cabinet glazed door
800x2000mm



CAB-2SD-42W

Cabinet double steel door
800x2000mm



CAB-1SD-42W

Cabinet steel door 800x2000mm



CAB-DH-K

Door handle with key-lock for
CABxx



CAB-DH-P

Door handle with push-button for
CABxx



CAB-DH-PP

Door handle with push-button
& pad-lock for CABxx



CAB-CE-M

Cable entry gland 14xM25/32



CAB-CE-L

Cable entry gland 2xM25/32/40,
1xM32/40/50, 2xM40/50/160




CAB-CE-S

Cable entry gland w/sealing
membranes Ø7 to 26mm




CAB-LED

CABxx LED System light
w/sensor 100-240VAC,
w/connection cable



CAB-AVF-L-230

Active ventilation for CABxx with a steel door, 230VAC



CAB-AVF-L-115

Active ventilation for CABxx with a steel door, 115VAC

CAB-AVIP55-115/230

CAB-AVIP55-115

Active IP55 ventilation for CABxx, 133mm high, 115VAC

CAB-AVIP55-115/230

CAB-AVIP55-230

Active ventilation unit IP55 for CABxx, 133mm high, 230VAC



CAB-AVT-115-230

Active ventilation for CABxx with glass door, 115-230VAC

Rittal Base-Plinth

CAB-BASE-88

Base / plinth for 800x800mm cabinets