

1008140100

TA-10

Relay Module



ICX-AlphaCom



Exigo

Description

- ✓ Designed for use with Turbine Industrial IP Intercom stations
- ✓ Dual high-power relays (DPDT)
- ✓ Up to 400VAC /48 VDC per relay
- ✓ Up to 6A current per relay
- ✓ Heavy-duty spring-loaded terminals with spare grounding terminals
- ✓ Powered by Turbine Industrial stations (TFIE-x) or Turbine Extended Kit (TKIE-1)

The TA-10 is a 2x DPDT, high-power relay module for the TFIE family of Turbine Industrial stations and the TKIE kit. It may also be used with the EAPII series access panels for the Exigo PA/GA system.

Specifications

MECHANICAL

Dimensions (WxDxH)	100 x 50 x 40 mm
Weight	100 g

ENVIRONMENTAL

Operational Temperature	-40°C to + 70°C
Storage Temperature	-40°C to +70°C
Ingress Protection (IP)	N/A
Impact Protection (IK)	N/A

ELECTRICAL

Drive Voltage	12V (from Turbine Extended)
Switched Voltage	< 250VAC Rated (400VAC Max)
Switched Voltage	< 2000 VA max
Switching Current	< 8A rated (15A max, 4s)

Used With



EAPII-6

Exigo Industrial Access
Panel, 6 Buttons



EAPII-1

Exigo Industrial Access
Panel, 1 Button

IP and SIP Intercom

TFIE-1

IP and SIP Intercom

IP and SIP Intercom

TFIE-2

IP and SIP Intercom

IP and SIP Intercom

TFIE-6

IP and SIP Intercom