

Zenitel Client

Zenitel-Client

Zenitel Intercom Client for PC

 Automatic Volume  HD Voice  Automatic Gain Control  Active Noise Cancelling Open Duplex

Description

Zenitel-Client is an intercom client for the PC. It is designed to be used as a control room operator's intercom or office intercom. Intended users include: site security or control room operator, payment booth operator (parking and toll-roads), operator handling incoming calls, and in-office standard calls. It provides Turbine-class Audio with echo cancellation and noise reduction.

Support for IC-EDGE

VS-Client works as an IC-EDGE intercom device.

Turbine Class Audio

Includes acoustic echo cancellation, noise reduction, volume control and audio device selection.

Lite and Full Mode

Lite mode is a non-intrusive minimalistic interface that can be easily integrated into existing systems. Full mode provides full keypad and additional call panels like call history and contacts.

Full Numeric Keypad

Provides full call control with call transfer, hold/resume, mute.

Call History

Shows a list of all incoming and outgoing calls.

Address Book (Contacts)

Contacts can be created and added into a contacts list. It also supports the import and export of contacts data.

Favorites

A contact can be marked as favorite for speed dial. Works also with keyboard shortcut.

Function Keys

Special function keys are available during a call (e.g. send DTMF – open/close door).

Call Control with USB Button

Calls can be initiated or accepted with an optional USB button. It also provides basic call control, like Push-To-Talk / Duplex conversation mode switching.

Multiple Language Support

Specifications

RECOMMENDED SYSTEM REQUIREMENTS

Operating system	Windows 7 or higher
PC Hardware	CPU: Dual Core Intel Core or newer
	RAM: 4 GB
	Hard drive: 40 GB or better
	Modern integrated GPU with OpenGL 3.0 support
Audio	Network card
	Modern soundcard
	Speakers and microphone
USB button (optional)	USB 2.0 support
	(USB button is a Vingtor-Stentofon product 1009800140)

Accessories



USBBTN

USB Button for VS-Client