

VMP-530_front

1020600305


VMP-530

Main Station Waterproof

Description

- ✓ Designed for use with ACM exchanges and for wall mounting.
- ✓ Handsfree open conversation or private when used with handset VMP-211 or VMP-250.
- ✓ For use with external loudspeaker
- ✓ Built-in electret microphone gives clear sound
- ✓ Keyboard with large digits
- ✓ C-key for cancelling calls
- ✓ M-key for manual switching of speech direction (simplex).
- ✓ Voice operating duplex speech.
- ✓ Public Address messages via General Call and Group
- ✓ Calls with automatic answer back, are available
- ✓ Audio Programmes can individually be selected and received.
- ✓ Screw terminals for easy connection of Installation cables and optional

Technical Dimensions



Specifications

GENERAL

Operation voltage	Powered from exchange
Connections	5 m cable / 4 pins plug
Loudspeaker Output	1.4 W
Internal Loudspeaker impedance	50 ohm
Frequency range	500 - 5000 Hz
Temperature range	-40°C to +55 °C
Material	Bayblend plastic Membrane keyboard foil of cured PVC
Colour	Grey
IP- class	IP-65
Dimensions (mm)	124W x 224H x 63D
Weight	0,75 kg

Accessories



VML-1520

Horn Loudspeaker 15W, 20 OHM Waterproof

VMP-211

Wall Mounted Handset

VMP-250

Wall Mounted Handset
Waterproof

VMP-204

Power Amplifier 230V AC / 12W