



4000014279

P-9018

Bridge Wing Telephone

- Handset
- Console mounted
- Low voltage directive 2006/95/EC




Onboard communication

## Description

The P-9018 is an indoor telephone for Bridge Wing Port/ Starboard connected to the Command Intercom system CIS 3000.

### **Technical Dimensions**

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



NOTES:
-REQUIRED OPENING FOR FLUSH-MOUNTING: 66 x 210mm.
15,00mm IN FROM EACH SDE.
-COLOUR: FRONT: BILACK, TELEPHONE: BLACK,
-WEIGHT: APP, 1,50Kg.
-FIXING DETAILS: 4pes. M4 SCREW.

page 2/3

# **Specifications**

#### **MECHANICAL**

Dimensions (WxHxD)	96x240x147 mm
Weight	1.5 kg
Color	RAL 9005
Material	Steel
Mounting	Flush mounted
Fixing	4 x M4 bolts
Access	Front
Cable Entry	Rear

#### **ELECTRICAL**

Power Supply	24VDC from Central Unit
Termination	Screw terminals

#### **ENVIRONMENTAL**

Temperature	0°C to +45°C
Humidity	20-80 % Non- condensing
Ingress Protection Rating	IP-22

page 3/3