


4000086829-BIVEP-6T-Image

4000086829




BIVEP-6T

Projector speaker 6 watt

 Bi-directional




Onboard communication

Description

-  Double faced projector w/ transformer for accommodations area
-  Ideal for P.A. announcements and background music applications
-  To be used together with 70/100V line amplifier


The BIVEP-6T is a general purpose projector to be used on 70/100 V lines. The projector is bidirectional and disperses audio in both directions. This feature makes this speaker very well suited for corridors and other applications where audio has to be evenly distributed.

Technical Dimensions



1xM20 blinding plug
1xM20 gland

Circuit diagram



70/100 Volt combined transformer	
Primary connections	
White : Green	70 V
White : Red	100 V
Secondary nominal tapings	
C : 6	6,0 W
C : 3	3,0 W
C : 1,5	1,5 W
C : 0,5	0,5 W

Specifications

GENERAL

Material / Color	ABS / RAL 7035
Dimensions (LxDxH)	167mm x 120mm x 120mm
Mounting	Foot bracket
Termination	Ceramic screw terminals
Weight	0.94 kg
Rated / Max power	6 W / 10 W
SPL 1W / 1 m	87 dB
SPL rated power	94 dB
Effective frequency range	150 - 20000 Hz
Dispersion (-6dB) 1kHz / 4kHz	360° / 2x70° (bidirectional)
IP-rating	44
Environmental Condition	Protected