

1020600769

## VMP-36-PEL-A/15

Headset with boom mic, headband, and 15m cable for VMP Station

Replacement item: [1020600789](#)

- ✓ Headset for direct connection to a VMP station
- ✓ Switchbox w/ M-button and belt clip
- ✓ Excellent noise performance
- ✓ High attenuating ear shells
- ✓ 15 meter cable



IP54



Onboard communication

## Description


The VMP-36-PEL-A/15 headset brings hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.

The dual cup give a modern and slim look and is specially designed to provide excellent noise attenuation.


## Applications

The VMP-36-PEL-A/15 headset can enhance communication in noisy environments and other workplaces, where the workers need to be connected to their 2-way handheld or fixed systems throughout the day to help facilitate frequent contacts with co-workers.

## Technical Dimensions



# Specifications



## GENERAL

|                          |                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Termination              | Flying leads/ferrules, prepared for screw terminals                                                                             |
| Microphone               | 20,5 mm. dynamic noise cancelling, 240 Ohm+- 30 %, sensitivity -57 dB+-3 dB, 0 dB=1v/pa at 1kHz, frequency response: 50Hz-6KHz. |
| Earphone/Speakers        | 27 mm. diameter, 150 Ohm+- 15 %, Parallell connection, frequency response: 50Hz-10KHz.                                          |
| Temperature              | -40 to +60 degrees C                                                                                                            |
| Storage Humidity         | < 90%                                                                                                                           |
| Protection               | IP-54 (When worn)                                                                                                               |
| Attenuation rating (HML) | H=32 dB / M=28 dB / L=20                                                                                                        |
| Attenuation rating (SNR) | 30 dB                                                                                                                           |
| CE Certificate no.       | 12151RHS01                                                                                                                      |
| Dimension (HxD)          | Approximately 250 x 150 mm. (adjustable).                                                                                       |
| Weight                   | 0.4 kg                                                                                                                          |
| Colour                   | Black/Yellow                                                                                                                    |
| Manufacturer             | Zenitel (A-kabel)                                                                                                               |
| Cable                    | 15m                                                                                                                             |

## Accessories



Hygiene kit for Headset

Hygiene kit for Headset



Spare Boom Microphone for Headset

Spare Boom Microphone for all A-Kabel type Headsets



Headset Stowage Bracket

Headset stowage Bracket for Wall mounting



Spare Switchbox w/cable for VMP-36-PEL-Ad/15



AK6070T Throat microphone  
for all A-kabel type Headsets

Dynamic Throat Microphone for  
 Headset

## Used With



Light Industrial Master Station



Industrial Master Station

Heavy Duty