



1008113120

TCIA-2-P

Package with TCIA-2,TKIA-2,TKIS-2



Door Intercom



Turbine



IP66





M Automatic Volume



HD Voice



Automatic Gain Control



Active Noise Cancelling



Voice Activity Detection

Description

- Package comprising TCIA-2, TKIA-2, TKIS-2
- Vandal resistant Analog over IP intercom
- Ombine the network security of an analog intercom with the audio features of an IP intercom.
- Up to 60 meters extended analog interface keeps your IP network port in protected area.
- Ideal for Building Security and Public Environments where you don't want to expose your physical IP network.

Zenitel's Air Gap Solution:

Zenitel's air gap solution is ideal when you need to place an intercom in an unsecured area, but wish to keep your IP network in a protected area. The TCIA-2 IP-Analog intercom is best suited for deployment under such circumstances. The TCIA-2 connects to the Zenitel air gap gateway (comprising the TKIA-2 and TKIS-2) that is placed in a secure area, up to 60 meters from the TCIA-2 intercom.

page 1/3

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



page 2/3

Specifications

PACKAGE CONTENTS

1008113020	TCIA-2 Analog over IP Intercom
1008133020	TKIA-2 Analog over IP Gateway
1008131020	TKIS-2 VoIP Intercom Module

Used With

TKIS-2

TKIS-2 Audio Intercom

Kit

VoIP Intercom Module



TKIA-2 TCIA-2

Analog over IP Gateway Analog over IP Intercom