

1020600943

## VSP-223-L

Main Station - Batteryless Telephone System - 12-Way



- ✓ 12 extensions selector switch
- ✓ Built-in relay latch timer for activation of external visible or audible 24V DC signal units
- ✓ Alarm stop button
- ✓ Noise compensated microphone
- ✓ Optical LED call indication at front (in addition to audible call signal)
- ✓ Flush mounted
- ✓ Wall mounting with corresponding metal cabinet type MBOKS-G
- ✓ Desk mounting with corresponding wooden cabinet type VSPC-OAK
- ✓ Suitable for installation in control rooms and noisy areas like steering gear, engine- and thrusterrooms, etc

### Description

#### VSP-223-L Main Station: Noise Cancelling Batteryless Telephone


The VSP-223-L Main Station enhances our 12-Way Batteryless Telephone System with features tailored for noisy areas.

Features includes:

- ✓ Versatile Installation Options: Flush-mount, wall, or desk for optimal placement.
- ✓ External Signal Activation: Built-in relay latch timer for activating external alarms, improving safety alerts.
- ✓ Noise-Compensated Microphone: Ensures clarity in communication in areas like engine rooms.

The VSP-223-L is suitable for installation in control rooms and noisy areas like the steering gear, engine- and thruster rooms, etc, ensuring clear uninterrupted communication even in critical situations such as full blackout of the vessels power.

### Technical Dimensions



# Specifications

## GENERAL

|                             |                   |
|-----------------------------|-------------------|
| Connections                 | Screw terminals   |
| Color                       | Black             |
| IP rating                   | IP-44             |
| Dimensions (WxHxD)          | 238 x 130 x 77 mm |
| Panel cut-out               | 205 x 105 mm      |
| Weight                      | 1.30 kg           |
| Operating temperature range | -25°C to 55°C     |
| Switching Current (max)     | 4 A               |
| Compass Safe Distance       | > 155cm           |

## Accessories



VM-0411  
Protection cover for VSP-stations



MBOKS-G  
VSP Batteryless Telephone System



VSPC-OAK  
Wooden OAK Cabinet



VSP-36-PEL-A  
Headset with boom mic, headband, and 10m cable



VSP-36-PEL-A/20  
Headset with boom mic, headband, and 20m cable



CD-4  
Plugbox Waterproof



VSP-36-PELP-A  
Headset with boom mic, headband, and 10m cable



VSP-36-PELP-A/20  
Headset with boom mic, headband, and 20m cable



VSP-36-PELP-A/25

Headset with boom mic, headband, and 25m cable



IRR-24

Relay Box



IRR-VSP-220

Relay box 220V AC for VSP-12 way