



tbd

SAP02

Wall Mount Paging Microphone with PTT - Lockable Enclosure

- ✓ WALL MOUNT FIST MICROPHONE
- ✓ ALL CALL
- ✓ ANALOGUE CONNECTIVITY
- ✓ HOUSED IN A LOCKABLE IP66 ENCLOSURE
- ✓ IDEAL FOR AREAS WITH PUBLIC ACCESS
- ✓ COMPATIBLE WITH THE VIPEDIA AND INTEGRA RANGES

Commercial Audio  Public Address

Description

The SAP02 is a powerful and flexible all call paging microphone which can provide live, broadcast into pre-configured zones.

Typically used for making announcements to station platforms, the SAP02 Station Announcement Point microphone is housed in an IP65 vandal-resistant, lockable wall-mount box. The unit features indicators for 'Busy' and 'Speak Now'.

The SAP02 can optionally house a radio microphone receiver (RMR02), which enables announcements to be made remotely from handheld radio microphones (RPA01's) around the site, in addition to the SAP's internal fist microphone.

Accessories



VIPEDIA-BOA01

Din Rail Mount RJ45 Breakout
Adapter - Single Port



VIPEDIA-BOA02

Din Rail Mount RJ45 Breakout
Adapter - Four Port

Used With



VIPEDIA-12-NET

PAVA Audio router with network
card



VIPEDIA-12-PRO

PAVA Audio router with network
card - Dante Enabled



INTEGRA-PRO-03

PAVA Wall Mount System (3 amp
channels pre installed) - Dante®
Enabled



INTEGRA-PRO-05

PAVA Wall Mount System (5 amp
channels pre installed) - Dante®
Enabled



INTEGRA-PRO-07

PAVA Wall Mount System (7 amp channels pre installed) - Dante® Enabled



INTEGRA-PRO-10

PAVA Wall Mount System (10 amp channels pre installed) - Dante® Enabled



INTEGRA-03

Wall Mount PAVA System (3 amps)



INTEGRA-05

PAVA Wall Mount System (5 amp channels pre installed)



INTEGRA-07

PAVA Wall Mount System (7 amp channels pre installed)



INTEGRA-10

PAVA Wall Mount System (10 amp channels pre installed)