



2310111163

SH81HD

Outdoor Camera HD 4MP PoE, 81 deg

- IP66/67 Maritime models
- 81° horizontal field of view
- 4 Megapixel resolution
- Built-in 6mm fixed lens
- Min. Illumination Color: 0.3Lux, B/W: 0,03Lux
- True Day Night
- ✓ Wide Dynamic Range 120dB
- ✓ Video Compression Format H.265, H.264, MJPEG
- Max. Framerate H.265/H.264: Max. 30fps at all resolutions, MJPEG: Max. 15fps
- PoE (IEEE802.3af, Class3) Max 7W
- 2,5m pigtail with industry V4 plug halogen free
- Motion detection, Tampering, Defocus detection
- Hallway view, WiseStream support





IP67

Description


SH81HD Seahawk 4MP PoE Outdoor camera for marine use.

81 degrees IP66/67

Technical Dimensions

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is



page 2/3

Specifications

DESCRIPTION

| Size (Length w/ bracket) | 360 mm |
|--------------------------|----------------------------|
| Weight | 2.7 kg |
| Protocols | TCP/IP, UDP/IP, RTP(UDP), |
| | RTP(TCP), RTCP, RTSP, |
| | NTP, HTTP, HTTPS, SSL/TLS, |
| | DHCP, PPPoE, FTP, SMTP, |
| | ICMP, IGMP, |
| | SNMPv1/v2c/v3(MIB-2), ARP, |
| | DNS, DDNS, QoS, PIM-SM, |
| | UPnP, Bonjour |

OTHER MODELS

| 2310111107 | SH53HD Seahawk camera HD 4MP PoE, 53 deg, IP66/67 | |
|------------|------------------------------------------------------|--|
|------------|------------------------------------------------------|--|

page 3/3