


23200001XX

LG Televisions

22"/26"/32"/37"/42"



Product image not available

Description

- Eye Care (Anti-Dazzling)
- JPEG View & MP3 Play simultaneously (with separate remote)
- 1080p Source Input
- USB 2.0
- ✓ RoHS
- Auto Off / Auto Sleep

Integrated with Vingtor-Stentofon Infotainment system, these interactive LCD TV models take high-definition viewing to a new level of refinement. They provide premium in-room entertainment including movies, shows and sports that are enhanced by a superb dynamic contrast ratio. These feature-packed models are made primarily with the welfare of the crew in mind.

page 1/4

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is

Specifications

PANEL

| Size (inches) | 22 | 26 | 32 | 075 | | |
|---------------------------------|---------------------------|--|-------------------------|-------------------------|--|----------------|
| , | | - | 32 | 37F | | 42F |
| Dimensio ns WxDxH mm | 533. 4x3 97x 171 | 667x504x224 | 805 x58 3x2 24 | 922 x65 9x2 97 | | 1028x715.4x297 |
| Resolutio n | | 1366 x 768 | | | 1920 x 1080 | |
| Brightnes s (cd/m2) | 350 | 450 | 450 | | 500 | |
| Dynamic Contrast Ratio | 20,0 00:1 | 40,000:1 | 40, 000 :1 | | 50,000:1 | |
| XD Engine | | Yes | | | Yes | |
| Video standard | PAL /NT FS | PAL/NTFS | PA L/N TF S | PA L/N TF S | | PAL/NTFS |
| Audio | | | | | | |
| Dolby Digital Decoder | | Yes | | | Yes | |
| Audio Output | 2 x 3W | 2 x 5W | 2 x 7W | | 2 x 10W | |
| Invisible Speaker | | Yes | | | Yes | |
| EZ Sound/S SM | | Standard / Music / Cinema / Sport / Game | | | Standard / Music / Cinema / Sport / Game | |
| Features | | | | | | |
| Eye Care (Anti- Dazzling) | | Yes | | | Yes | |
| Size | 22 | 26 | 32 | 37F | | 42F |

page 2/4

www.zenitel.com info@zenitel.com

Last revision date: 2022-08-26 09:27

| (inches) | | | |
|--------------------------------------|----|---|---|
| 1080p Source Input | | Yes | Yes |
| HD Divx | | Yes | Yes |
| USB (2.0) | | Yes | Yes |
| RoHS | | Yes | Yes |
| Auto Off / Auto Sleep | | Yes | Yes |
| Invisible Clock (Front LED) | | Yes | YesYes |
| RS-232C Port | | Yes | Yes |
| External Speaker Out | 1W | 3W / Stereo | 3W / Stereo |
| RGB Overlay | | Yes | Yes |
| Power Saving Function | | Yes | Yes |
| Interface | | | |
| RF In | | 1 | 1 |
| Compone nt in (RC Jack) | | 1 | 1 |
| A/V In (SCART) | | 1(full) | 1 (full) |
| RGB In (D-Sub 15 pin) | | 1 | 1 |
| HDMI Input | | 2 (480p / 576p / 720p / 1080i / 1080p) 1 Port PC Mode | 2 (480p / 576p / 720p / 1080i / 1080p) 1 Port PC Mode |
| RS232C | | Yes | Yes |
| RJP (RJ- 45) | | 1 | 1 |

page 3/4

| Power | | |
|----------------|-------------------|-------------------|
| Voltage, Hz | 220/115V, 50/60Hz | 220/115V, 50/60Hz |