



## 2310131047

# Armoured Cable 10 meters MMXCABLARM10

Armoured multicable with barrier gland 10m for MVX-MPX


- ✓ Pre-cabled for Ethernet, video, I/O and telemetry connections
- Equipped with barrier cable gland
- Resistant to oil, flames and ultra-violet rays
- Designed for potentially explosive zones
- 10 meter version

# Description

The Armoured Cable 10 meters MMXCABLARM10 is suitable for explosion-proof Pan & Tilt of the MAXIMUS MPX/MPXT/MPXHD series. The pre-assembled cable simplifies product installation. It is suitable for use in hostile environments and available in 10 meter length.

# **Technical Dimensions**

The indicated measurements are expressed in millimetres.



# Specifications

#### **GENERAL**

Armoured, multi-polar, assembled, black cable with barrier cable gland 3/4" NPT

Cabling for Pan & Tilt MAXIMUS MPX/ MAXIMUS MPX DELUX: 1 Ethernet cable, 3 power supply conductors, 1 coaxial video cable, 7 conductors for alarms, relay and telemetry

## **MECHANICAL**

Armoured cable

Length: 10m (32.1ft)

External diameter: 20.0mm (0.78in)

± 0.5mm (0.02in)

Minimum bending radius: 220mm

(8.6in)

## **ELECTRICAL**

Power supply

• Number of conductors (electrical):
3

• Section: 2.5mm²

• Working voltage: 300V max

#### **NETWORK**

Ethernet: 1 cable, Category 5E, shielded cable

# **SERIAL COMMUNICATIONS**

Telemetry: RS-485 (MAXIMUS

MPX only)

Remote resetting: for MAXIMUS

MPXHD only

# VIDEO

1 coaxial cable, RG179

# I/O INTERFACE

Alarms: 1 for MAXIMUS MPX DELUX, 2 for MAXIMUS MPX

Relay: 1

page 3/4

## **ENVIRONMENT**

Temperature: from -60°C (-76°F) up to +80°C (+176°F)

Type of laying: fixed installation

Oil resistant (complies with CNOMO E.03.40.150N, ASTM n.2, IRM 902, VDE 0472 p.803 test B)

UV resistant (complies with ICE60068-2-5)

Flame resistant (complies with IEC/EN60332-1, IEC/EN60332-3-22)

## **CERTIFICATIONS**

IEC/EN 60079-14 (ATEX Ex II)

IP protection degree: IP66 (cable gland only)

# **Used With**



MPXHD21A000C Series2 EX PTZ Camera

MPX Series 2 Delux IP PTZ Ex camera, super low-light, full HD