

Cisco Catalyst 1300 series

2220012274

C1300-48P-4G

Cisco C1300 48-port 1G PoE switch with 4x1G SFP



Description

The Cisco Catalyst 1300 Series Switches are fixed, managed, enterprise-class Gigabit Ethernet Layer 3 switches designed for small and medium-sized business and branch offices. These simple, flexible, and secure switches are ideal for deployment out of the wiring closet. The Catalyst 1300 Series operates on customized Linux OS software, with an intuitive dashboard that simplifies network setup and advanced features that accelerate digital transformation, while pervasive security protects business-critical transactions. The 1300 Series switches provide the ideal combination of affordability and capabilities for branches and growing networks and help you create a more efficient, better-connected workforce. When your business needs advanced networking features and security for the digital transformation, yet value is still a top consideration, you're ready for the Cisco Catalyst 1300 Series Switches.

Cisco Catalyst C1300-48P-4G is managed 48-port PoE switch with 48 auto-sensing 10/100/1000 PoE ports and 4x Gigabit Ethernet SFP ports .

page 1/3

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Specifications

PORTS

| 10/100/1000 RJ45 | 48 |
|------------------|--------------------------------|
| SFP | 4 |
| Console ports | 1x RJ45 and USB type C Port |

ENVIRONMENT

| Operating temperature | -5°to 50°C |
|-----------------------------|--|
| Operating relative humidity | 10% to 90%, relative, non- condensing |

ELECTRICAL CHARACTERISTICS

| Frequency | 50 to 60 Hz |
|---------------------------|----------------|
| Maximum heat dissipation | 1537.68 BTU/hr |
| AC voltage | 100 to 240 VAC |
| Available PoE Power | 370W |
| Maximum power Consumption | 110V = 450.65W |
| | 220V = 437.14W |

DIMENSIONS & WEIGHT

| Dimensions (W x D x H) | 445 x 350 x 44 mm |
|------------------------|---------------------|
| Weight | 5.43 kg |
| Mounting | Rack Mountable, 1HU |

Accessories

page 2/3









MGBLX1

1000BASE-LX SFP transceiver Single-mode for SF300 and SF302

MGBSX1

1000BASE-SX SFP transceiver Multimode for SF300 and SF302

GLC-SX-MMD

Cisco 1000Base-SX SFP Transceiver Module for MultiMode Fiber - IEC60945 Compliant

GLC-LH-SMD

Cisco 1000BASE-LX/LH SFP for Both Multimode and Single-Mode Fibers



GLC-TE

Cisco GLC-TE 1000BASE-T 1G SFP Transceiver - RJ45